

ECCO Machine I.375-24 Bravo Mount Conversion Work Order Rev. 4 09/01/2024

*We will not commence service if any category is left blank.
COMPLETE ONE WORK ORDER PER SUPPRESSOR. DO NOT INCLUDE MULTIPLE SUPPRESSORS ON ONE WORK ORDER.*

Page 1 of 4

First and Last Name: _____

Full MAILING Address:

Phone (text capable if possible): _____

Email address: _____

Suppressor make, model and serial number (must match form 4 copy we ask you to also include):

Return Shipping, if opting for something different from our standard

We use UPS Ground and \$800 insured value per suppressor as our standard. Upon delivery, adult signature and direct delivery are required per all major carrier policies. (*Important: We use a separate provider for insurance on shipping, and not carrier liability.*)

Mounting system(s) to be used after conversion to I.375-24 Bravo Pattern:

Muzzle device protrusion from register face of Bravo adapter: _____ inches, or unknown _____

Other Manufacturer`s Mount/Adapter included or drop shipped? *We do not stock or sell any other manufacturer`s parts. * We HIGHLY recommend that you send in or drop ship mounts from another manufacturer so we can guarantee fitment.

Select one:

I have included another manufacturer's mount in this package

I will be using another manufacturer's mount, and it is being **drop shipped** to ECCO Machine

I have previously purchased an ECCO Machine Mount or Adapter in an online order that I elected to have held in the shop for this service. Order # _____ Order Date: _____

I will be using another manufacturer's mount/adapter, but I have not included/drop shipped one for fitment and I understand that ECCO Machine cannot guarantee fitment of my mount/adapter since I did not include it.

ECCO Machine I.375-24 Bravo Mount Conversion Work Order Rev. 4 09/01/2024

We will not commence service if any category is left blank.
COMPLETE ONE WORK ORDER PER SUPPRESSOR. DO NOT INCLUDE MULTIPLE SUPPRESSORS ON ONE WORK ORDER.

Page 2 of 4

Moly Resin Refinishing of Suppressor *(single color, applied to entire suppressor)*.

If you select "no refinish" you are advised to look at the pictures on our website under the mount conversion service deposit page (or use search bar and type "mount conversion" to navigate to it) for representative images showing how your unfinished suppressor is likely to appear post-service.

Circle your color choice from below stock colors:

- SOCOM Black (Default)
- Grey-Black Colt Flat
- Flat Grey
- Burnt Bronze
- Tan FDE
- Coyote brown
- Flat Brown
- OD Green
- Foliage Green
- No Refinish (-\$25)

Moly Resin Refinish Mount/Adapter to match suppressor

We can Moly resin refinish many simple, monolithic mounts/adapters to match your suppressor. ECCO Machine mounts/adapters are no charge for refinish. Multi-piece adapters, like Dead Air Keymo, SilencerCo ASR, etc. are not eligible for refinishing services.

Indicate your choice:

Refinish simple mount to match suppressor if possible: Yes _____ No _____

Refinish ECCO Machine mount/adapter to match suppressor: Yes _____ No _____

Loctite/Rocksett Mount/Adapter in suppressor: Yes, red Loctite _____ Yes, Rocksett _____ No _____

End cap repair needed? *(will incur additional cost if they require welding or cap replacement)*

_____ Yes, my end cap needs repaired

_____ No, my end cap does not need repaired

Dead Air front end cap conversion? *(Only available for tubeless suppressors)*

We do not stock or sell Dead Air front caps, so if you elect and we are able to perform that conversion on your suppressor, you will need to source your own caps. If you desire the cap to be finished to match the suppressor, it needs to be included. There is no additional charge for refinishing the cap at the time of conversion with refinish.

Select one:

_____ No

_____ Yes, Dead Air Front Cap Conversion **if possible** (+\$75)

_____ Yes, Moly resin refinish of my provided DA front cap to match suppressor:

ECCO Machine 1.375-24 Bravo Mount Conversion Work Order Rev. 4 09/01/2024

We will not commence service if any category is left blank.

COMPLETE ONE WORK ORDER PER SUPPRESSOR. DO NOT INCLUDE MULTIPLE SUPPRESSORS ON ONE WORK ORDER.

Page **3** of **4**

Recore needed? (Recores are an entirely separate queue, will contact prior to service): Yes _____ No _____

Any additional information or services desired:

Mount Conversion Important Info:

- Not all muzzle devices will be compatible with all suppressor models due to blast chamber length and/or muzzle device diameter. Some conversions, namely AAC titanium suppressors, will not support muzzle devices with larger (>.8") diameters. Many conversions will not support muzzle devices over 1.1" diameter, such as JMAC brake mounts.

- AAC Cyclones do need the first baffle bored out for conversion to be able to accommodate virtually any muzzle device. There is no additional charge for this. It may be necessary on some other models as well.

- Shortening can be done to a degree on some models, and ATF has never specified a maximum amount, only say "minimally for repair purposes". We are not comfortable shortening more than 1", and that is usually in cases where there will be adapters/mounts used that make up some or all of the removed length. Many suppressors cannot be shortened easily, so this may incur additional costs when it can be done.

- We get a lot of inquiries about Surefire mount adapters. Surefire does not manufacture a mount adapter. We can convert your supplied Surefire Trainer or Warden into a 1.375-24 Bravo (HUB, "ASR") mount adapter. If interested, ask us for more information.

**ECCO Machine I.375-24 Bravo Mount Conversion Work Order Rev.
4 09/01/2024**

We will not commence service if any category is left blank.

**COMPLETE ONE WORK ORDER PER SUPPRESSOR. DO NOT INCLUDE MULTIPLE SUPPRESSORS ON
ONE WORK ORDER.**